




# Aquate Pump Stations

Product Sheet R7.1

Aquate offer a wide range of pump stations for most domestic or commercial applications.



03.15 | DRAINAGE | R7.1 AQUATE PUMP STATIONS

## Applications

Domestic houses  
Commercial buildings  
Schools  
Campgrounds  
Stormwater pump stations

## Product Attributes

Adaptable design  
Large capacity chambers  
Watertight – eliminating infiltration into the sewer network  
Easy and economical to install  
Lightweight for easy handling – no special lifting equipment is required

## Approvals/Standards


Tanks certified to AS/NZS1546:1

## Quality

ISO 9001:2008 Quality Management Standard

## Aquate offer a wide range of prefabricated pump stations for most domestic or commercial applications.

Manufactured in either polyethylene or concrete, the Aquate range comes complete with an electrical controller, either one or two high quality pumps, alarms and all internal pipework. Aquate Pump Stations are delivered to site ready to be installed, keeping site work to a minimum. From raw sewage through to clean rainwater, a wide range of products are available to suit most applications.



### Features

- **Easy to install**  
Aquate Pump Chambers come complete with all internal pipework ready for connection. The controller is supplied as part of the unit. Installation is quick and easy, saving time and money.
- **Lightweight**  
The polyethylene chamber is light and easy to handle. No special lifting equipment is required.
- **Flexible design**  
Custom designed systems are available to suit all applications.
- **Watertight**  
Eliminates infiltration into the sewer network.
- **Large capacity**  
The chambers have a volume of at least 900 litres giving 24 hour emergency storage in most applications. (1350 L, 2750 L and above available on request)

### What system do you need?

The right system for your site will depend on the type of water being pumped and the layout and geography of your site. A range of grinders, cutters, vortex or drainage pumps are available to suit all applications.

Codes	Pump	Description
PSAS1050G18H	Pump STN1350L Grinder 18 m Head	Pump Station 1350 L, Grinder Pump – Max 18 m Head
PSAS1050G21H	Pump STN1350L Grinder 21 m Head	Pump Station 1350 L, Grinder Pump – Max 21 m Head
PSAS1050V12H	Pump STN1350L Vortex 12 m Head	Pump Station 1350 L, Vortex Pump – Max 12m Head
PSAS900G18H	Pump STN900 Grinder 18 m Head	Pump Station 900 L, Grinder Pump – Max 18 m Head
PSAS900G21H	Pump STN900L Grinder 21 m Head	Pump Station 900 L, Grinder Pump – Max 21 m Head
PSAS900V12H	Pump STN900L Vortex 10 m Head	Pump Station 900 L, Vortex Pump – Max 12m Head

### Control Panels

All Aquate Pump Stations come complete with an electrical controller that can be located on the pump chamber or installed at a nearby dwelling. The controllers are simple and easy to install. Standard controllers feature audio and visual alarms for pump failure and high water situations.

For larger systems, additional features can be included if required.



**FIG. 1** Controller – manufactured to AS/NZS 3000:2007

Branches Nationwide Support Office & Technical Services 09 274 0316

**Disclaimer:** While every effort has been made to ensure that the information in this document is correct and accurate, users of Hynds product or information within this document must make their own assessment of suitability for their particular application. Product dimensions are nominal only, and should be verified if critical to a particular installation. No warranty is either expressed, implied, or statutory made by Hynds unless expressly stated in any sale and purchase agreement entered into between Hynds and the user.